



GUANGDA ABRASIVES



Linyi Guangda Abrasives Co. , Ltd.

Add:64 JINQUESHAN ROAN, LINYI CITY,
SHANDONG, CHINA

[Https://abrasives-guangda.com/](https://abrasives-guangda.com/)

Tel: 0539-8136228 8136229

E-mail:gd@guangdacorp.com





GUANGDA ABRASIVES

About GuangDa

Linyi Guangda Abrasives Co. , Ltd. is one of the most important companies in the abrasives industry exported from Linyi. Since its establishment in 2003, the company has been continuously developing its products: Resin grinding wheels, louver blades, cutting discs, grinding discs and coated abrasives, as well as disc sandpaper, dry sanding paper, water sanding paper, Back Velvet Sandpaper, flocking sandpaper, back Glue Sandpaper, self-adhesive sandpaper, polishing chassis. Products exported to South Korea, Japan, Australia, the United States, the United Kingdom, Southeast Asia, Europe and other countries and regions. Excellent quality, well received by customers.

In recent years, the quality of our products continue to improve, won the customer's praise. Now we aim to increase production quality and service level, which are gradually achieved. We always consider client satisfaction as the basis of our existence and development. We hope we could go to the brighter tomorrow together with new and old clients and with product quality and service enthusiasm as before.



**切割系列
Cutting Series**



不锈钢切片 Super Thin Cutting Wheels

41WA(白刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41WA1071.0	107×1.0×16	4"×1/21"×5/8"	1000	20	47×24×24	
GDA-41WA1151.2	115×1.2×22	4.5"×1/21"×7/8"	1000	26	42×25×25	80M/S
GDA-41WA1251.0	125×1.0×22	5"×1/21"×7/8"	600	16	45×27×14	EN12413
GDA-41WA1501.6	150×1.6×22	6"×1/16"×7/8"	200	14	32×22×16	
GDA-41WA1801.6	180×1.6×22	7"×1/16"×7/8"	200	20	38×22×20	

用途:41WA切割不锈钢、合金钢等贵重金属。
特点:超耐用、抗衰减。

Usage: For cutting of stainless steel, precious metals such as steel alloy.
Features: Ultra-durable, anti-decay.



钹形切片 Depressed Center Cutting Wheels

42A(棕刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41A1003	100×3×16	4"×1/8"×5/8"	400	20	42×22×21	80M/S
GDA-42A1153	115×3×22	4.5"×1/8"×7/8"	200	15	25×23×25	
GDA-42A1253	125×3×22	5"×1/8"×7/8"	200	18	26×23×26	
GDA-42A1503	150×3×22	6"×1/8"×7/8"	200	13	32×23×16	
GDA-42A1803	180×3×22	7"×1/8"×7/8"	100	18	38×24×19	
GDA-42A2303	230×3×22	9"×1/8"×7/8"	50	16	25×25×25	

用途:42A磨切一般金属、碳钢、合金钢、焊缝等。
Usage: For cutting and grinding of ordinary metals, carbon steel, steely alloy, weld seams etc.



金属切割片 Cutting Wheels For Metal

41A(棕刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41A3553	355×3×25.4	14"×1/8"×1"	25	19	36×36×9	70M/S
GDA-41A4003	400×3×32	16"×1/8"×1"	25	22	41×41×9	

锋利型 Sharp type

用途:41A主要用于切割一般金属、碳钢、合金钢、硬青钢等。
Usage: 41A mainly used for cutting general metal, carbon steel, Alloy steel, hard Qingdao Steel and so on.



不锈钢切割片 Cutting Wheels For Stainless Steel

41WA(白刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41WA1002.5	100×2.5×16	4"×1/8"×5/8"	600	20	310×145×210	精品80M/S
GDA-41WA35525	355×2.5×25.4	14"×1/8"×1"	25	19	36×36×9	
GDA-41WA4003	400×3×25.4/32	16"×1/8"×1"	25	22	41×41×9	

不锈钢专用型
Stainless steel special

用途:41WA切割不锈钢
Usage: 41WA cut stainless steel



耐用型 Durable

用途:41WA切割不锈钢、合金钢等贵重金属。
Usage: For cutting of stainless steel, precious metals such as steel alloy.

金属切割片 Cutting Wheels For Metal

41WA/A(白刚玉/棕刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41WA/A1052	105×2×16	4"×1/12"×5/8"	600	25	34×26×23	精品80M/S
GDA-41WA/A1003	100×3×16	4"×1/8"×5/8"	400	23	38×22×22	
GDA-41WA/A1152	115×2×22	4.5"×1/12"×7/8"	400	17	25×25×25	
GDA-41WA/A1252	125×2×22	5"×1/12"×7/8"	400	24	28×26×26	
GDA-41WA/A1253	125×3×22	5"×1/8"×7/8"	200	18	27×19×27	
GDA-41WA/A1502	150×2×22	6"×1/12"×7/8"	280	24	42×31×16	
GDA-41WA/A1503	150×3×22	6"×1/8"×7/8"	200	17	32×19×16	
GDA-41WA/A1802	180×2×22	7"×1/12"×7/8"	200	24	38×27×19	
GDA-41WA/A1803	180×3×22	7"×1/8"×7/8"	100	18	38×19×19	
GDA-41WA/A2303	230×3×22	9"×1/8"×7/8"	50	15	24×24×20	
GDA-41WA/A2553	255×3×25.4	10"×1/8"×1"	50	19	26×26×17	
GDA-41WA/A3053	305×3×25.4	12"×1/8"×1"	25	16	31×31×9	
GDA-41WA/A3553	355×3×25.4	14"×1/8"×1"	25	19	36×36×9	
GDA-41WA/A4003	400×3×25.4/32	16"×1/8"×1"	25	22	41×41×9	



GUANGDA ABRASIVES



Application: Used for cutting and fluting steel tube, iron bar, thin iron plate, steel plate, wall panel with low power grinders.

Features: • Excellent sharpness on low power grinders.

Super Thin Reinforced Cutting Disc for Metal & Steel(color sharp type)

DxTxH (inch)	DxTxH (mm)	SPEC	AVAILABLE COLORS	TYPE		Max R.P.M. (r/min)	
				41	42		
4x3/64x5/8	107x1.2x16	A 46 T BF	red, green, yellow			15200	50
5x1/16x5/8	125x1.6x22.23	A 46 T BF				12200	50
6x1/16x7/8	150x1.6x22.23	A 46 T BF				10200	50
7x1/16x7/8	180x1.6x22.23	A 46 T BF				8600	50



Application: 2 in 1 disc used for cutting steel tube, iron bar, metal rod & small pipes and then polishing & deburring edges of workpiece.

Features: • Multi-function cutting & polishing application, avoiding glass fiber chipping stick on skin.
• Reinforced by an inner fiberglass net and make it more reliable.

Super Thin Cutting & Deburring Disc for Metal & Stainless Steel

DxTxH (inch)	DxTxH (mm)	SPEC	AVAILABLE COLORS	TYPE		Max R.P.M. (r/min)	
				41	42		
4x3/64x5/8	107x1.2x16	A 46 T BF	black, red, green, yellow, mixed color			15200	50
5x1/16x5/8	125x1.6x22.23	A 46 T BF				12200	50



用途:42A磨切一般金属、碳钢、合金钢、焊缝等。
Usage: For cutting and grinding of ordinary metals,carbonsteel,steely alloy,weld seams etc.

钹形切片 Depressed Center Cutting Wheels

42A(棕刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41A1003	100×3×16	4"×1/8"×5/8"	400	20	42×22×21	80M/S
GDA-42A1153	115×3×22	4.5"×1/8"×7/8"	200	15	25×23×25	
GDA-42A1253	125×3×22	5"×1/8"×7/8"	200	18	26×23×26	
GDA-42A1503	150×3×22	6"×1/8"×7/8"	200	13	32×23×16	
GDA-42A1803	180×3×22	7"×1/8"×7/8"	100	18	38×24×19	
GDA-42A2303	230×3×22	9"×1/8"×7/8"	50	16	25×25×25	



锋利型 Sharp type

用途:41A主要用于切割一般金属、碳钢、合金钢、硬青铜等。
Usage: 41A mainly used for cutting general metal, carbon steel, Alloy steel, hard Qingdao Steel and so on.

金属切割片 Cutting Wheels For Metal

41A(棕刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41A3553	355×3×25.4	14"×1/8"×1"	25	19	36×36×9	70M/S
GDA-41A4003	400×3×32	16"×1/8"×1"	25	22	41×41×9	

不锈钢切割片 Cutting Wheels For Stainless Steel

41WA(白刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41WA1002.5	100×2.5×16	4"×1/8"×5/8"	600	20	310×145×210	精品80M/S
GDA-41WA35525	355×2.5×25.4	14"×1/8"×1"	25	19	36×36×9	
GDA-41WA4003	400×3×25.4/32	16"×1/8"×1"	25	22	41×41×9	

不锈钢专用型
Stainless steel special

用途:41WA切割不锈钢
Usage: 41WA cut stainless steel

金属切割片 Cutting Wheels For Metal

41WA/A(白刚玉/棕刚玉)

形状 Shape

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-41WA/A1052	105×2×16	4"×1/12"×5/8"	600	25	34×26×23	精品80M/S
GDA-41WA/A1003	100×3×16	4"×1/8"×5/8"	400	23	38×22×22	
GDA-41WA/A1152	115×2×22	4.5"×1/12"×7/8"	400	17	25×25×25	
GDA-41WA/A1252	125×2×22	5"×1/12"×7/8"	400	24	28×26×26	
GDA-41WA/A1253	125×3×22	5"×1/8"×7/8"	200	18	27×19×27	
GDA-41WA/A1502	150×2×22	6"×1/12"×7/8"	280	24	42×31×16	
GDA-41WA/A1503	150×3×22	6"×1/8"×7/8"	200	17	32×19×16	
GDA-41WA/A1802	180×2×22	7"×1/12"×7/8"	200	24	38×27×19	
GDA-41WA/A1803	180×3×22	7"×1/8"×7/8"	100	18	38×19×19	
GDA-41WA/A2303	230×3×22	9"×1/8"×7/8"	50	15	24×24×20	
GDA-41WA/A2553	255×3×25.4	10"×1/8"×1"	50	19	26×26×17	
GDA-41WA/A3053	305×3×25.4	12"×1/8"×1"	25	16	31×31×9	
GDA-41WA/A3553	355×3×25.4	14"×1/8"×1"	25	19	36×36×9	
GDA-41WA/A4003	400×3×25.4/32	16"×1/8"×1"	25	22	41×41×9	

耐用型 Durable

用途:41WA切割不锈钢、合金钢等贵重金属。
Usage: For cutting of stainless steel, precious metals such as steel alloy.



GUANGDA ABRASIVES



Application: Used for cutting and fluting steel tube, iron bar, thin iron plate, steel plate, wall panel with low power grinders.

Features: • Excellent sharpness on low power grinders.

Super Thin Reinforced Cutting Disc for Metal & Steel(color sharp type)

DxTxH (inch)	DxTxH (mm)	SPEC	AVAILABLE COLORS	TYPE		Max R.P.M. (r/min)	
				41	42		
4x3/64x5/8	107x1.2x16	A 46 T BF	red, green, yellow			15200	50
5x1/16x5/8	125x1.6x22.23	A 46 T BF				12200	50
6x1/16x7/8	150x1.6x22.23	A 46 T BF				10200	50
7x1/16x7/8	180x1.6x22.23	A 46 T BF				8600	50

Application: 2 in 1 disc used for cutting steel tube, iron bar, metal rod & small pipes and then polishing & deburring edges of workpiece.

Features: • Multi-function cutting & polishing application, avoiding glass fiber chipping stick on skin.
• Reinforced by an inner fiberglass net and make it more reliable.



Super Thin Cutting & Deburring Disc for Metal & Stainless Steel

DxTxH (inch)	DxTxH (mm)	SPEC	AVAILABLE COLORS	TYPE		Max R.P.M. (r/min)	
				41	42		
4x3/64x5/8	107x1.2x16	A 46 T BF	black, red, green, yellow, mixed color			15200	50
5x1/16x5/8	125x1.6x22.23	A 46 T BF				12200	50



抛磨系列
Polishing Series



用途: 磨削不锈钢
Usage: For grinding of stainless steel



用途: 磨削玻璃、石材
Usage: For grinding of glass and stone



耐用型 Durable
用途: 27WA/A磨削碳钢、铸钢、不锈钢等金属。
Usage: 27WA / A grinding steel, cast steel, stainless steel and other metals.



耐用型 Durable
用途: 27C磨削玻璃、石材等。
Usage: 27C grinding cast iron, stone and so on.

可弯曲弹性磨片(鱼鳞片) Flexible Grinding Wheels

27WA(白刚玉)

形状 Shape 

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-27WA1003	100×3×16	4"×1/10"×5/8"	400	23	59×23.5×16	70M/S
GDA-27WA1002.5	100×2.5×16	4"×1/10"×5/8"	400	22	59×23.5×16	

可弯曲弹性磨片(鱼鳞片) Flexible Grinding Wheels

27GC(绿碳)

形状 Shape 

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-27GC1003	100×3×16	4"×1/10"×5/8"	400	23	59×23.5×16	70M/S
GDA-27GC1002.5	100×2.5×16	4"×1/10"×5/8"	400	22	59×23.5×16	

金属磨片 Grinding Wheels For Metal

27WA/A(白刚玉/棕刚玉)

形状 Shape 

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-27WA/A1004	100×4×16	4"×4/25"×5/8"	200	21	38×22×22	
GDA-27WA/A1006	100×6×16	4"×1/4"×5/8"	200	21	38×22×22	
GDA-27WA/A1156	115×6×22	4.5"×1/4"×7/8"	100	16	25×21×25	80M/S
GDA-27WA/A1256	125×6×22	5"×1/4"×7/8"	100	17	27×21×27	
GDA-27WA/A1506	150×6×22	6"×1/4"×7/8"	100	23	42×31×16	
GDA-27WA/A1806	180×6×22	7"×1/4"×7/8"	60	21	38×24×19	
GDA-27WA/A2306	230×6×22	9"×1/4"×7/8"	30	20	26×25×25	

石材磨片 Gringing Wheels For Stone


27C(碳化硅)

形状 Shape 

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/ctn	毛重(kg) G.W.	箱子尺码(cm) Meas	最高工作速度 Max.speed
GDA-27C1004	100×4×16	4"×4/25"×5/8"	200	21	38×22×22	
GDA-27C1006	100×6×16	4"×1/4"×5/8"	200	21	38×22×22	
GDA-27C1156	115×6×22	4.5"×1/4"×7/8"	100	16	25×21×25	80M/S
GDA-27C1256	125×6×22	5"×1/4"×7/8"	100	17	27×21×27	
GDA-27C1506	150×6×22	6"×1/4"×7/8"	100	23	42×31×16	
GDA-27C1806	180×6×22	7"×1/4"×7/8"	60	21	38×24×19	
GDA-27C2306	230×6×22	9"×1/4"×7/8"	30	20	26×25×25	



GUANGDA ABRASIVES




用途: 主要用于金属, 焊缝, 木材等打磨和抛光。
 Usage: Mainly used for grinding and polishing of metal, weld wood

棕刚玉(玻璃纤维机体)
 Brown Aluminum Oxide(Fiberglass Backing)

形状 Shape

货号 Item No.	规格(mm) size	英制 Inch	粒度 Grit
GDA-FDI00A50	100x16	4"x5/8"	50
GDA-FDI15A60	115x22	4/5"x7/8"	60
GDA-FD125A60	125x22	5" x7/8"	60
GDA-FD150A60	150x22	6" x7/8"	60
GDA-FDI80A60	180x22	7" x7/8"	60



棕刚玉(塑料机体)
 Brown Aluminum Oxide(Fiberglass Backing)

形状 Shape

货号 Item No.	规格(mm) size	英制 Inch	粒度 Grit
GDA-FD100A50	100x16	4"x5/8"	50
GDA-FDI15A60	115x22	4/5"x7/8"	60
GDA-FD125A60	125x22	5" x7/8"	60
GDA-FD150A60	150x22	6" x7/8"	60
GDA-FD180A60	180x22	7"x7/8"	60



用途: 不锈钢粗磨、打磨
 特点: 耐磨度比普通煅烧砂布高一倍, 锋利度高30%
 Usage: Stainless steel coarse grinding, polishing
 Features: Abrasion resistance than ordinary lime burning Shabu Twice as high, sharp high 30%

铁金刚百叶片
 Iron King Kong flap disc

形状 Shape

货号 Item No.	规格(mm) size	粒度 Grit
GDA-FD1004680	100x46页	80
GDA-FD10046120	100x46页	120
GDA-FD10046240	100x46页	240
GDA-FD10046320	100x46页	320




用途: 不锈钢粗磨、打磨
 材质: 煅烧砂布A
 Usage: Stainless steel coarse grinding, polishing
 Material: Calcined gauze A

碟形叶轮
 Butterfly Impeller

形状 Shape

货号 Item No.	规格(mm) size	粒度 Grit
GDA-FD1004650	100x45页	50
GDA-FD1004680	100x45页	80
GDA-FD10046120	100x45页	120
GDA-FD10046240	100x45页	240
GDA-FD10046320	100x45页	320



用途: 主要用于不锈钢工件的打磨和抛光。
 Usage: Mainly used for grinding and polishing of stainless steel parts.

弹性磨盘(T29) Flap Disc

形状 Shape

货号 Item No.	规格(mm) size	英制 Inch	粒度 Grit
GDA-FD100ZA60T29	100x16	4"x5/8"	60
GDA-FDI15ZA80T29	115x22	4/5"x7/8"	80
GDA-FD125ZA80T29	125x22	5" x7/8"	80
GDA-FD150ZA80T29	150x22	6" x7/8"	80
GDA-FD180ZA80T29	180x22	7" x7/8"	80



用途: 主要用于不锈钢工件的打磨和抛光。
 Usage: Mainly used for grinding and polishing of stainless steel parts.

锆刚玉百叶片
 Zirconia flap disc

形状 Shape

货号 Item No.	规格(mm) size	英制 Inch	粒度 Grit
GDA-FD100WA60T27	100x16	4"x5/8"	60
GDA-FDI15WA80T27	115x22	4/5"x7/8"	80
GDA-FD125WA80T27	125x22	5" x7/8"	80
GDA-FD150WA80T27	150x22	6" x7/8"	80
GDA-FDI80WA80T27	180x22	7" x7/8"	80



用途: 不锈钢平面打磨, 抛光。
 Usage: For grinding and polishing of stainless steel

碟形叶轮 Butterfly Impeller

形状 Shape

货号 Item No.	规格(mm) size	粒度 Grit
GDA-FD100WA60	100x45页	60
GDA-FD100WA80	100x45页	80
GDA-FD100WA120	100x45页	120
GDA-FD100WA240	100x45页	240
GDA-FD100WA320	100x45页	320





用途:高耐用性, 高抗拉伸强度, 长寿命连续打磨木器、石材、金属、玻璃、塑料、石材等
Usage: Highdurability,high tensile strength,long service life for grinding of the wood、metal、glass、plastic and stone.

棕刚玉 Brown Aluminum Oxide

货号 Item No.	规格(mm) size	英制 Inch	粒度 Grit
GDA-SB25533A	25x533	1"x21"	36-320
GDA-SB75457A	75x457	3"x18"	36-320
GDA-SB75533A	75x533	3"x21"	36-320
GDA-SB100533A	100x533	4"x21"	36-320
GDA-SB100610A	100x610	4"x24"	36-320
GDA-SB13102620A	1310x2620	51.5" x103"	36-320



用途:高耐用性, 高抗拉伸强度, 长寿命连续打磨木器、石材、金属、玻璃、塑料、石材等
Usage: Highdurability,high tensile strength,long service life for grinding of the wood、metal、glass、plastic and stone.

锆刚玉 Zirconia Aluminum Oxide

货号 Item No.	规格(mm) size	英制 Inch	粒度 Grit
GDA-SB10330ZA	10x330	1"x21"	36-320
GDA-SB25533ZA	25x533	1"x21"	36-320
GDA-SB75457ZA	75x457	3"x18"	36-320
GDA-SB75533ZA	75x533	3"x21"	36-320
GDA-SB100533ZA	100x533	4"x21"	36-320
GDA-SB100610ZA	100x610	4"x24"	36-320
GDA-SB502100ZA	50x2100	2"x84"	36-320



用途:高耐用性, 高抗拉伸强度, 长寿命连续打磨木器、石材、金属、玻璃、塑料、石材等
Usage: Highdurability,high tensile strength,long service life for grinding of the wood、metal、glass、plastic and stone.

黑碳化硅 Black Silicon Carbide

货号 Item No.	规格(mm) size	英制 Inch	粒度 Grit
GDA-SB25533C	25x533	1"x21"	36-320
GDA-SB75457C	75x457	3"x18"	36-320
GDA-SB75533C	75x533	3"x21"	36-320
GDA-SB100533C	100x533	4"x21"	36-320
GDA-SB100610C	100x610	4"x24"	36-320
GDA-SB13102620C	1310x2620	51.5"x103	36-320

货号 (Item No.):GDA-SB01




混纺布锻烧棕刚玉全树脂砂布
Brown Aluminium Oxide Cloth

原料: 锻烧棕刚玉, 全树脂, X型布
用途: 可用于不锈钢和一般金属磨削, 适于做砂带, 加工页轮、砂盘等产品。

Materials:
 Abrasives:brown Aluminium Oxide
 Bond:resin Over Resin
 Cloth:x-weight
Application:
 Grinding For Wood And Gencral Metal.the Ideal For Processing Offlap Wheels,discs And Belt.

货号 (Item No.):GDA-SB02




混纺布碳化硅全树脂砂布
Black Silicon Carbide Cloth

原料: 碳化硅, 全树脂, X型布(65%化纤, 35%棉)
用途: 适用于不锈钢、合金钢等硬金属重型磨削。

Materials:
 Abrasives:black Silicon Carbide
 Bond:resin Over Resin
 Cloth:x-weight,65%polyester,35%cotton
Application:
 Heavy Duty Grinding For Hard Metal,such As Stainless Steel,alloy Steel,and So On.

货号 (Item No.):GDA-SB03



棕刚玉碳化硅全树脂砂布
Black Silicon Carbide,brown Aluminium Oxide Cloth

原料: 棕刚玉, 碳化硅, 全树脂, X型布
用途: 可用于木材和一般金属磨削, 适于做砂带, 加工页轮, 砂盘等产品。

Materials:
 Abrasives:black Silicon Carbide,bromn Aluminium Oxide
 Bond:resin Over Resin
 Cloth:x-weight
Application:
 Grinding For Wood And General Metal.the Ideal For Processing Of Flap Wheels,discs And Belt.

产品特点

该产品采用锻烧刚玉为磨料, 应用德国先进生产技术研制而成。用该纱布生产出的弹性磨盘其磨削比是同类产品的3倍、速度高出1.5倍。通过工艺改进, 砂布有效利用率提高30%, 有较强的市场冲击力。是开拓新市场的敲门砖。

Features

The product is calcined alumina abrasive, the application of advanced production technology developed by Germany. The gauze used to produce the flexible disc grinding ratio is three times its similar products, 1.5 times higher rate. Through process improvement, emery effective utilization increased by 30%, with strong market impact. Is a stepping stone to open up new markets.






拉绒砂纸盘 Velcro Disc

货号 Item No.	规格(Φmm) Size	英制 Inch	粒度 Grit	片数/盒 Pcs/Box	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-VD1004P36	100	4"	P36	100	1800	35x35x25
SLZ-VD1004P40	100	4"	P40	100	1800	35x35x25
SLZ-VD1004P60	100	4"	P60	100	1800	35x35x25
SLZ-VD1004P80	100	4"	P80	100	1800	35x35x25
SLZ-VD1004P100	100	4"	P100	100	1800	35x35x25
SLZ-VD1004P120	100	4"	P120	100	1800	35x35x25
SLZ-VD1004P180	100	4"	P180	100	1800	35x35x25
SLZ-VD1004P240	100	4"	P240	100	1800	35x35x25
SLZ-VD1004P320	100	4"	P320	100	1800	35x35x25

货号 Item No.	规格(Φmm) Size	英制 Inch	粒度 Grit	片数/盒 Pcs/Box	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-VD1255P36	125	5"	P36	100	1200	38x28x28
SLZ-VD1255P40	125	5"	P40	100	1200	38x28x28
SLZ-VD1255P60	125	5"	P60	100	1200	38x28x28
SLZ-VD1255P80	125	5"	P80	100	1200	38x28x28
SLZ-VD1255P100	125	5"	P100	100	1200	38x28x28
SLZ-VD1255P120	125	5"	P120	100	1200	38x28x28
SLZ-VD1255P180	125	5"	P180	100	1200	38x28x28
SLZ-VD1255P240	125	5"	P240	100	1200	38x28x28
SLZ-VD1255P320	125	5"	P320	100	1200	38x28x28

货号 Item No.	规格(Φmm) Size	英制 Inch	粒度 Grit	片数/盒 Pcs/Box	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-VD1506P36	150	6"	P36	100	1200	50x33x25
SLZ-VD1506P40	150	6"	P40	100	1200	50x33x25
SLZ-VD1506P60	150	6"	P60	100	1200	50x33x25
SLZ-VD1506P80	150	6"	P80	100	1200	50x33x25
SLZ-VD1506P100	150	6"	P100	100	1200	50x33x25
SLZ-VD1506P120	150	6"	P120	100	1200	50x33x25
SLZ-VDI506P180	150	6"	P180	100	1200	50x33x25
SLZ-VDI506P240	150	6"	P240	100	1200	50x33x25
SLZ-VD1506P320	150	6"	P320	100	1200	50x33x25

货号 Item No.	规格(Φmm) Size	英制 Inch	粒度 Grit	片数/盒 Pcs/Box	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-VD1806P36	180	7"	P36	100	1200	50x33x25
SLZ-VDI806P40	180	7"	P40	100	1200	50x33x25
SLZ-VDI806P60	180	7"	P60	100	1200	50x33x25
SLZ-VDI806P80	180	7"	P80	100	1200	50x33x25
SLZ-VD1806P100	180	7"	P100	100	1200	50x33x25
SLZ-VD1806P120	180	7"	P120	100	1200	50x33x25
SLZ-VD1806P180	180	7"	P180	100	1200	50x33x25
SLZ-VD1806P240	180	7"	P240	100	1200	50x33x25
SLZ-VD1806P320	180	7"	P320	100	1200	50x33x25



精品角磨抛光轮 Wool Polishing Wheel

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-FW80J	80X16	3-1/7"x5/8"	100	46x19x10
SLZ-FW100J	100X16	4"x5/8"	100	50x20x11
SLZ-FW125J	125X22	5"x7/8"	200	65x27x22

角磨抛光轮 Wool Polishing Wheel

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-FW80A	80X16	3-1/7"x5/8"	100	46x19x10
SLZ-FW100A	100X16	4"x5/8"	100	50x20x11
SLZ-FW125A	125X22	5"x7/8"	200	65x27x22

机制毛毡轮 Wool Felt Wheel

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-FW125M	125X22	5"x7/8"	100	65x27x22
SLZ-FW150M	150X22	6"x7/8"	100	77x33x22

自粘毛毡轮 Wool Felt Wheel

货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-FW115H	115	4-1/2"	200	60x25x22
SLZ-FW125H	125	5"	200	65x27x22
SLZ-FW150H	150	6"	200	77x33x22

羊毛叶轮 Wool Felt Wheel


货号 Item No.	规格(mm) Size	英制 Inch	片数/箱 Pcs/Ctn	箱子尺码(cm) Meas
SLZ-FW125W	125X22	5"x7/8"	100	65x27x18
SLZ-FW150W	150X22	6"x7/8"	100	77x33x18



Application: Suitable for general metal, hard wood, furniture and wood.

- Features:**
- No vibration, low noise, high stock removal. Rough grinding and fine finishing in one operation. Less operator fatigue.
 - Save time and cost.

Fibre disc (Aluminum oxide)


DxTxH (inch)	DxTxH (mm)	Fiber T(mm)	Available	Max R.P.M. (r/min)	
4x5/8	100x16	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	15300	25
4 1/5x7/8	115x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	13300	25
5x7/8	125x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	12200	25
6x7/8	150x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	10200	25
7x7/8	180x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	8500	25
9x7/8	230x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	8500	25




Application: Suitable for general metal, stainless steel, weld seam, hard wood etc.

- Features:**
- Zirconia grain offers longer lifetime, sharper working.
 - No vibration, less loading, low noise, high stock removal. Rough grinding and fine finishing in one operation. Less operator fatigue.

Fiber Disc(ZA)

DxTxH (inch)	DxTxH (mm)	Fiber T(mm)	Available	Max R.P.M. (r/min)	
4x5/8	100x16	0.8	P16/P24/P36/P40/P60/P80/P100/P120	15300	25
4 1/5x7/8	115x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	13300	25
5x7/8	125x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	12200	25
6x7/8	150x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	10200	25
7x7/8	180x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	8500	25
9x7/8	230x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	8500	25



Application: Nickel and Titanium alloy, Stainless steel and hard wood.


- Features:**
- Excellent self-sharpening ceramic grain make a high stock removal/disc loss ratio.
 - No vibration, no loading, low noise, high stock removal. Rough grinding and fine finishing in one operation. Less operator fatigue.




Application: Suitable for non-ferrous metal, marble, glass, ceramic and other non-metal material, stone etc.

- Features:**
- Aggressive grinding with anti-loading property, excellent self-sharpening ability.

Fiber Disc(Ceramic)

DxTxH (inch)	DxTxH (mm)	Fiber T(mm)	Available	Max R.P.M. (r/min)	
4x5/8	100x16	0.8	P16/P24/P36/P40/P60/P80/P100/P120	15300	25
4 1/5x7/8	115x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	13300	25
5x7/8	125x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	12200	25
6x7/8	150x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	10200	25
7x7/8	180x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	8500	25
9x7/8	230x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120	8500	25

Fibre disc (Silicon carbide)

DxTxH (inch)	DxTxH (mm)	Fiber T(mm)	Available	Max R.P.M. (r/min)	
4x5/8	100x16	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	15300	25
4 1/5x7/8	115x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	13300	25
5x7/8	125x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	12200	25
6x7/8	150x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	10200	25
7x7/8	180x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	8500	25
9x7/8	230x22	0.8	P16/P24/P36/P40/P60/P80/P100/P120/P150/180	8500	25